UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/771,813	02/03/2004	Xueshi Yang	S01.12-1013/STL 11469.00	3979
	7590 09/16/200 CHNOLOGY LLC C/C	EXAMINER		
CHAMPLIN &		TRAN, KHAI		
SUITE 1400 900 SECOND A	AVENUE SOUTH	ART UNIT	PAPER NUMBER	
MINNEAPOLI	S, MN 55402-3244	2611		
			MAIL DATE	DELIVERY MODE
		09/16/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Appli	cation No.	Applicant(s)	
Office Action Summary		10/7	71,813	YANG ET AL.	
		Exam	niner	Art Unit	
		KHAI	TRAN	2611	
The MAILI Period for Reply	NG DATE of this commu	nication appears o	n the cover sheet	with the correspondence	address
A SHORTENED S WHICHEVER IS I - Extensions of time ma after SIX (6) MONTHS - If NO period for reply i - Failure to reply within Any reply received by	ONGER, FROM THE N y be available under the provision from the mailing date of this com s specified above, the maximum s	MAILING DATE O s of 37 CFR 1.136(a). In munication. tatutory period will apply a y will, by statute, cause the	F THIS COMMU no event, however, may and will expire SIX (6) M e application to become	a reply be timely filed  ONTHS from the mailing date of this ABANDONED (35 U.S.C. § 133).	
Status					
2a) ☐ This action 3) ☐ Since this a		2b)⊠ This action for allowance ex	is non-final. cept for formal m	atters, prosecution as to t C.D. 11, 453 O.G. 213.	the merits is
Disposition of Claim	ıs				
4a) Of the a 5) ☐ Claim(s) ☐ 6) ☑ Claim(s) 1- 7) ☑ Claim(s) 12 8) ☐ Claim(s) ☐  Application Papers 9) ☐ The specific 10) ☐ The drawing Applicant ma Replacemen	t drawing sheet(s) includin	are withdrawn from re rejected.  ction and/or election e Examiner.  a) accepted of ection to the drawing g the correction is re-	on requirement.  or b)  objected g(s) be held in abegrauired if the drawi	yance. See 37 CFR 1.85(a) ing(s) is objected to. See 37	CFR 1.121(d).
·	-	o by the Examine	r. Note the attact	ned Office Action or form	PTO-152.
a) All b) Certii  2. Certii  3. Copie applie	ment is made of a claim Some * c) None of: ied copies of the priority ied copies of the priority	documents have documents have of the priority document Dureau (PCT	been received. been received in cuments have be Rule 17.2(a)).	n Application No en received in this Nation	nal Stage
	on's Patent Drawing Review ( re Statement(s) (PTO/SB/08)		Paper N	w Summary (PTO-413) No(s)/Mail Date of Informal Patent Application 	

Art Unit: 2611

## **DETAILED ACTION**

1. The amendment filed 06/03/2008 has been entered. Claims 17-29 have been cancelled. Claims 1-6, 30-34 are pending in this Office action.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 6, 7, 11, 13, 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphael et al. (US 2003/0138040) in view of Ueda (U.S. Pat. 5,644,597) and Haunstein et al. (2003/0142740).

Regarding claim 1, Rouphael discloses a method of decoding data comprising: receiving a signal comprising a plurality of bit patterns at a bank of equalizers (figure 1 -3, paragraphs 2, 16), each equalizer in the bank of equalizers tuned to a bit pattern with a corresponding equalization target (figures 1 - 3, elements FeedbackEqualizers/Filters). Rouphael does not explicitly disclose equalizers tuned to a bit pattern with a corresponding equalization target during normal operation.

Ueda discloses equalizers tuned to a bit pattern with a corresponding equalization target during normal operation (col. 31, line 21 to col. 32, line 9). It would have been obvious to one having ordinary skill in the art at the time the invention was made tune equalizers to a bit pattern with a corresponding

Art Unit: 2611

equalization target during normal operation as taught by Uada into the teachings of Rouphael. The motivation would decrease a bit error rate.

Rouphael discloses calculating an estimated bit sequence with a detector using the pattern dependent outputs (figure 1 element Decision Device, paragraphs 18, 22)

Regarding claim 6, Rouphael further discloses wherein each equalizer includes an adaptive algorithm for tuning each equalizer to a bit pattern during use (paragraphs 24, 32, claims 10, 21, 31, 42).

Regarding claim 7, Rouphael discloses a method of decoding data comprising: processing a segment of a received signal in a bank of equalizers (figure 1 - 3, paragraphs 2, 16), each equalizer tuned to a bit pattern and an equalization target to produce an equalized output for each equalizer (figures 1 - 3, elements Feedback Equalizers/Filters, Rouphael does not explicitly disclose equalizers tuned to a bit pattern with a corresponding equalization target, however, it is well known to one skilled in the art at the time of invention was made that equalizers are known to function as being tuned to a bit pattern with a corresponding equalization target. This is done in order to accurately equalize the signal or signals. Applicant may refer to paragraph 56 of US 2006/0139646; abstract and paragraphs 5, 45, 48 of US 2004/0136717; col. 5 lines 6 -18 of US 7107514; col. 5 lines 41 - 45 of US 6810168; to show that one skilled in the art at the time of invention was made would know equalizers are known to function as being tuned to a bit pattern with a corresponding equalization target);

Art Unit: 2611

detecting a bit sequence using a branch metric calculation to process the equalized output (figure 1, output of elements 20, 30, Decision Device, paragraphs 18, 22). Rouphael also discloses equalizers each tuned to a different bit pattern (paragraphs 18, 22); however,

Rouphael is not expressly clear about "different bit pattern". Rouphael discloses that the first equalizer output a Signal that represents the digital bit values and the second equalizer outputs a signal that represents an uncertainty of the decision made, and further that both equalizers operate slightly differently from each other.

In the same field of endeavor, however, Haunstein discloses equalizers each tuned to a different bit pattern (paragraphs 13, 17 and abstract; where Haunstein discloses this in a DFE equalization).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use equalizers each tuned to a different bit pattern as taught by Haunstein in the system of Rouphael to versatile adaptation.

Regarding claim 11, Rouphael discloses tuning each equalizer in the bank of equalizers to a bit pattern (figures 1 - 3, elements Feedback Equalizers/Filters).

Rouphael does not explicitly disclose tuning each equalizer in the bank of equalizers to a bit pattern, however, it is well known to one skilled in the art at the time of invention was made that tuning each equalizer, in the bank of equalizers

Art Unit: 2611

to a bit pattern. This is done in order to accurately equalize the signal or signals. Applicant may refer to paragraph 56 of US 2006/0139646; abstract and paragraphs 5, 45, 48 of US 2004/0136717; col. 5 lines 6 - 18 of US 7107514; col. 5 lines 41 -45 of US 6810168; to show that one skilled in the art at the time of invention was made would know tuning each equalizer in the bank of equalizers to a bit pattern).

Regarding claim 13, Rouphael discloses the branch metric calculation is a square of a difference between a received signal sample and a desired target signal determined by a state transition (paragraphs 18 - 28).

Claim 31 is similar to claim 1. Claim 31 is rejected under a similar rationale.

## Claim Rejections – 35 USC § 103

4. Claims 2-3 rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphael et al (US 2003/01308940) in view of Cideciyan et al (U.S. Pat. 6,460,150).

Regarding claim 2, Rouphael does not disclose the signal is received from a recording channel.

In the same field of endeavor, however, Cideciyan discloses the signal is received from a recording channel (figure 1, col. 3 lines 24 -41).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use the signal is received from a recording channel as

Art Unit: 2611

taught by Cideciyan in the system of Rouphael to allow for processing in numerous types of systems.

Regarding claim 3, Rouphael does not disclose reading a sequence of signal samples from a channel; and passing segments of the sequence of signal samples to the bank of equalizers one segment at a time.

In the same field of endeavor, however, Cideciyan discloses reading a sequence of signal samples from a channel; and passing segments of the sequence of signal samples to the bank of equalizers one segment at a time (figure 1, col. 3 lines 24 - 67; where the samples from an A/D converter would produce the one segment at a time, i.e.8 bit A/D converter Would provide an 8 bit segment). Therefore it would have been obvious to one skilled in the art at the time of invention was made to use reading a sequence of signal samples from a channel; and passing segments of the sequence of signal samples to the bank of equalizers one segment at a time as taught by Cideciyan in the system of Rouphael to proper processing (i.e. to avoid overflow).

## Claim Rejections - 35 USC § 103

5. Claims 4 - 5, 9 - 10, 14, 33-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphael et al. (US 2003/0138040) in view of Moon, J. and Park, J. "Pattern-Dependent Noise Prediction in Signal-Dependent Noise" IEEE Journal on Selected Areas in Communications, vol. 19, no. 4, April 200l.

Regarding Claim 4, Rouphael does not disclose calculating a path metric for every possible state transition sequence of a bit pattern using the pattern

Art Unit: 2611

dependent equalizer outputs according to transition information; and selecting a bit sequence corresponding to a path having the smallest accumulated path metric.

In the same field of endeavor, however, Moon discloses calculating a path metric for every possible state transition sequence of a bit pattern using the pattern dependent equalizer outputs according to transition information; and selecting a bit sequence corresponding to a path having the smallest accumulated path metric (Section I paragraphs 1 - 2, Section II steps 1 - 3, Section III B paragraph 1, Section III C paragraph 2).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use calculating a path metric for every possible state transition sequence of a bit pattern using the pattern dependent equalizer outputs according to ransition information; and selecting a bit sequence corresponding to a path having the smallest accumulated path metric as taught by Moon in the system of Rouphael to provide better performance and reduce noise (Section IX).

Regarding claims 5 and 14, Rouphael does not disclose each equalizer includes a pattern-dependent filter.

In the same field of endeavor, however, Moon discloses each equalizer includes a pattern-dependent filter (Section I).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use each equalizer includes a pattern-dependent filter

Art Unit: 2611

as taught by Moon in the system of Rouphael to provide better performance and reduce noise (Section IX).

Regarding claim 9, Rouphael does not disclose the equalized output is used in sequence detection according to the bit pattern associated with the equalizer.

In the same field of endeavor, however, Moon discloses the equalized output is used in sequence detection according to the bit pattern associated with the equalizer (Section I).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use the equalized output is used in sequence detection according to the bit pattern associated with the equalizer as taught by Moon in the system of Rouphael to provide better performance and reduce noise (Section IX).

Regarding claim 10, Rouphael does not disclose a number of equalizers in the bank of equalizers is determined by a maximum number of possible states for a selected pattern window.

In the same field of endeavor, however, Moon discloses a number of equalizers in the bank of equalizers is determined by a maximum number of possible states for a selected pattern window (Section I paragraphs 1 - 2, Section II steps 1 - 3, Section III B paragraph 1, Section III C paragraph 2).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use a number of equalizers in the bank of equalizers is

Art Unit: 2611

determined by a maximum number of possible states for a selected pattern window as taught by Moon in the system of Rouphael to provide better performance and reduce noise (Section IX).

Claims 33-34 are similar to claims 9-10. Therefore, claims 33-34 are rejected under a similar rationale.

## Claim Rejections - 35 USC § 103

6. Claims 8, 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphaelet al. (US 2003/0138040) in view of Kwon et al. (US 2004/0156459).

Regarding claim 8, Rouphael is not explicit about dividing the segment of the received signal into finite overlapped segments, and calculating an equalized output for each of the finite segments with the bank of equalizers.

In the same field of endeavor, however, Kwon discloses dividing the segment of the received signal into finite overlapped segments, and calculating an equalized output for each of the finite segments with the bank of equalizers (paragraphs 53, 61, 67).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use dividing the segment of the received signal into finite overlapped segments, and calculating an equalized output for each of the finite segments with the bank of equalizers as taught by Kwon in the system of Rouphael to save on processing power.

Application/Control Number: 10/771,813 Page 10

Art Unit: 2611

Claim 32 is similar to claim 8. Therefore, claim 32 is rejected under a similar rationale.

# Claim Rejections - 35 USC § 103

7. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphael et al. (US 2003/0138040) in view of Ojard et al. (US 2005/0031061).

20. Regarding claim 15, Rouphael is not explicit about the branch metric calculation is based on a noise whitening principle when noise in the received signal is correlated (the branch metric calculation is based on a noise whitening principle: paragraphs 16 -17, 37).

In the same field of endeavor, however, Ojard discloses the branch metric calculation is based on a noise whitening principle when noise in the received signal is correlated (paragraph 115).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use the branch metric calculation is based on a noise whitening principle when noise in the received signal is correlated as taught by Ojard in the system of Rouphael to reduce the noise power (paragraph 115).

# Claim Rejections - 35 USC § 103

8. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rouphael et al. (US 2003/0138040) in view of Linnartz et al. (US 2002/0181549).

Art Unit: 2611

Regarding claim 16, Rouphael is not explicit about the branch metric calculation is based on a covariance matrix of noise when noise in the received signal is correlated.

In the same field of endeavor, however, Ojard discloses the branch metric calculation is based on a covariance matrix of noise when noise in the received signal is correlated (paragraph 6).

Therefore it would have been obvious to one skilled in the art at the time of invention was made to use the branch metric calculation is based on a covariance matrix of noise when noise in the received signal is correlated as taught by Ojard in the system of Rouphael to reduce the complexity (paragraph 6).

# Allowable Subject Matter

9. Claim 12 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on (571) 272-3024. The fax

Application/Control Number: 10/771,813 Page 12

Art Unit: 2611

phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/KHAI TRAN/ Primary Examiner, Art Unit 2611

KT February 28, 2008